

Lampiran A

Router Start Up configuration ATM tanpa MPLS

Start UP Configuration ROUTER R1

<pre>version 12.4 service timestamps debug datetime msec service timestamps log datetime msec no service password-encryption ! hostname Jakarta ! boot-start-marker boot-end-marker ! no aaa new-model no ip icmp rate-limit unreachable ip cef ip tcp synwait-time 5 ! no ip domain lookup ! multilink bundle-name authenticated ! interface FastEthernet0/0 ip address 10.1.8.1 255.255.255.0 duplex half ! interface ATM1/0 no ip address no atm ilmi-keepalive ! interface ATM1/0.1 point-to-point ip address 10.1.2.1 255.255.255.0 no snmp trap link-status pvc 1/101 encapsulation aal5snap ! interface ATM1/0.2 point-to-point ip address 10.1.3.1 255.255.255.0 no snmp trap link-status pvc 1/102 encapsulation aal5snap ! interface ATM1/0.3 point-to-point ip address 10.1.4.1 255.255.255.0 no snmp trap link-status pvc 1/103 encapsulation aal5snap !</pre>	<pre>interface ATM2/0 no ip address shutdown no atm ilmi-keepalive ! interface GigabitEthernet3/0 no ip address negotiation auto ! interface FastEthernet4/0 ip address 10.1.12.1 255.255.255.0 duplex half ! router ospf 1 log-adjacency-changes network 10.1.2.0 0.0.0.255 area 0 network 10.1.3.0 0.0.0.255 area 0 network 10.1.4.0 0.0.0.255 area 0 network 10.1.8.0 0.0.0.255 area 0 ! no ip http server no ip http secure-server ! logging alarm informational no cdp log mismatch duplex ! control-plane gatekeeper shutdown ! line con 0 exec-timeout 0 0 privilege level 15 logging synchronous stopbits 1 line aux 0 exec-timeout 0 0 privilege level 15 logging synchronous stopbits 1 line vty 0 4 login ! end</pre>
--	--

Start UP Configuration ROUTER R2

<pre>version 12.4 service timestamps debug datetime msec service timestamps log datetime msec no service password-encryption ! hostname Surabaya ! boot-start-marker boot-end-marker ! no aaa new-model no ip icmp rate-limit unreachable ip cef ip tcp synwait-time 5 ! no ip domain lookup ! multilink bundle-name authenticated ! interface FastEthernet0/0 ip address 10.1.9.1 255.255.255.0 duplex half ! interface ATM1/0 no ip address no atm ilmi-keepalive ! interface ATM1/0.1 point-to-point ip address 10.1.2.2 255.255.255.0 no snmp trap link-status pvc 2/201 encapsulation aal5snap ! interface ATM1/0.2 point-to-point ip address 10.1.5.1 255.255.255.0 no snmp trap link-status pvc 2/202 encapsulation aal5snap ! interface ATM1/0.3 point-to-point ip address 10.1.6.1 255.255.255.0 no snmp trap link-status pvc 2/203 encapsulation aal5snap ! interface ATM2/0 no ip address no atm ilmi-keepalive</pre>	<pre>! interface GigabitEthernet3/0 no ip address shutdown negotiation auto ! router ospf 1 log-adjacency-changes network 10.1.2.0 0.0.0.255 area 0 network 10.1.5.0 0.0.0.255 area 0 network 10.1.6.0 0.0.0.255 area 0 network 10.1.9.0 0.0.0.255 area 0 ! no ip http server no ip http secure-server ! logging alarm informational no cdp log mismatch duplex ! ! control-plane ! gatekeeper shutdown ! ! line con 0 exec-timeout 0 0 privilege level 15 logging synchronous stopbits 1 line aux 0 exec-timeout 0 0 privilege level 15 logging synchronous stopbits 1 line vty 0 4 login ! end</pre>
--	--

Start UP Configuration ROUTER R3

<pre>version 12.4 service timestamps debug datetime msec service timestamps log datetime msec no service password-encryption ! hostname Medan ! boot-start-marker boot-end-marker ! no aaa new-model no ip icmp rate-limit unreachable ip cef ip tcp synwait-time 5 ! no ip domain lookup ! multilink bundle-name authenticated ! interface FastEthernet0/0 ip address 10.1.10.1 255.255.255.0 duplex half ! interface ATM1/0 no ip address no atm ilmi-keepalive ! interface ATM1/0.1 point-to-point ip address 10.1.3.2 255.255.255.0 no snmp trap link-status pvc 3/301 encapsulation aal5snap ! interface ATM1/0.2 point-to-point ip address 10.1.5.2 255.255.255.0 no snmp trap link-status pvc 3/302 encapsulation aal5snap ! interface ATM1/0.3 point-to-point ip address 10.1.7.1 255.255.255.0 no snmp trap link-status pvc 3/303 encapsulation aal5snap ! interface ATM2/0 no ip address no atm ilmi-keepalive</pre>	<pre>! interface GigabitEthernet3/0 no ip address shutdown negotiation auto ! interface FastEthernet4/0 ip address 10.1.13.1 255.255.255.0 duplex half ! router ospf 1 log-adjacency-changes network 10.1.3.0 0.0.0.255 area 0 network 10.1.5.0 0.0.0.255 area 0 network 10.1.7.0 0.0.0.255 area 0 network 10.1.10.0 0.0.0.255 area 0 network 10.1.13.0 0.0.0.255 area 0 ! no ip http server no ip http secure-server ! logging alarm informational no cdp log mismatch duplex ! control-plane ! gatekeeper shutdown ! line con 0 exec-timeout 0 0 privilege level 15 logging synchronous stopbits 1 line aux 0 exec-timeout 0 0 privilege level 15 logging synchronous stopbits 1 line vty 0 4 login ! end</pre>
--	---

Start UP Configuration ROUTER R4

<pre>version 12.4 service timestamps debug datetime msec service timestamps log datetime msec no service password-encryption ! hostname Surabaya ! boot-start-marker boot-end-marker ! no aaa new-model no ip icmp rate-limit unreachable ip cef ip tcp synwait-time 5 ! no ip domain lookup ! multilink bundle-name authenticated ! interface FastEthernet0/0 ip address 10.1.11.1 255.255.255.0 no shutdown duplex half ! interface ATM1/0 no ip address no shutdown no atm ilmi-keepalive ! interface ATM1/0.1 point-to-point ip address 10.1.4.2 255.255.255.0 pvc 4/401 encapsulation aal5snap ! ! interface ATM1/0.2 point-to-point ip address 10.1.6.2 255.255.255.0 pvc 4/402 encapsulation aal5snap ! interface ATM1/0.3 point-to-point ip address 10.1.7.2 255.255.255.0 pvc 4/403 encapsulation aal5snap ! interface ATM2/0 no ip address no atm ilmi-keepalive</pre>	<pre>! router ospf 1 log-adjacency-changes network 10.1.4.0 0.0.0.255 area 0 network 10.1.6.0 0.0.0.255 area 0 network 10.1.7.0 0.0.0.255 area 0 network 10.1.3.0 0.0.0.255 area 0 ! no ip http server no ip http secure-server ! logging alarm informational no cdp log mismatch duplex ! control-plane ! gatekeeper shutdown ! line con 0 exec-timeout 0 0 privilege level 15 logging synchronous stopbits 1 line aux 0 exec-timeout 0 0 privilege level 15 logging synchronous stopbits 1 line vty 0 4 login ! end</pre>
--	---

Lampiran B

Router Start Up configuration ATM dengan MPLS

Start UP Configuration ROUTER R1

<pre>version 12.4 service timestamps debug datetime msec service timestamps log datetime msec no service password-encryption ! hostname Jakarta ! boot-start-marker boot-end-marker ! no aaa new-model no ip icmp rate-limit unreachable ip cef ip tcp synwait-time 5 ! no ip domain lookup ! multilink bundle-name authenticated mpls ldp neighbor 10.0.0.5 password cisco mpls ldp loop-detection mpls ldp session protection ! interface Loopback0 ip address 10.0.0.1 255.255.255.255 ! interface FastEthernet0/0 ip address 10.1.8.1 255.255.255.0 duplex half ! interface ATM1/0 no ip address shutdown no atm ilmi-keepalive ! interface ATM2/0 no ip address shutdown no atm ilmi-keepalive interface ATM3/0 no ip address no atm ilmi-keepalive interface ATM3/0.10 mpls ip unnumbered Loopback0 no snmp trap link-status mpls ip mpls atm control-vc 10 1</pre>	<pre>! interface FastEthernet4/0 ip address 10.1.12.1 255.255.255.0 duplex half ! router ospf 1 log-adjacency-changes network 10.0.0.1 0.0.0.0 area 0 network 10.1.8.0 0.0.0.255 area 0 network 10.1.12.0 0.0.0.255 area 0 ! no ip http server no ip http secure-server ! logging alarm informational no cdp log mismatch duplex ! mpls ldp router-id Loopback0 force ! control-plane ! gatekeeper shutdown ! line con 0 exec-timeout 0 0 privilege level 15 logging synchronous stopbits 1 line aux 0 exec-timeout 0 0 privilege level 15 logging synchronous stopbits 1 line vty 0 4 login ! end</pre>
---	--

Start UP Configuration ROUTER R2

<pre>version 12.4 service timestamps debug datetime msec service timestamps log datetime msec no service password-encryption ! hostname R2 ! boot-start-marker boot-end-marker ! no aaa new-model no ip icmp rate-limit unreachable ip cef ip tcp synwait-time 5 ! no ip domain lookup ! multilink bundle-name authenticated mpls ldp neighbor 10.0.0.6 password cisco mpls ldp loop-detection mpls ldp session protection ! interface Loopback0 ip address 10.0.0.2 255.255.255.255 ! interface FastEthernet0/0 ip address 10.1.9.1 255.255.255.0 duplex half ! interface ATM1/0 no ip address shutdown no atm ilmi-keepalive ! interface ATM2/0 no ip address shutdown no atm ilmi-keepalive ! interface ATM3/0 no ip address no atm ilmi-keepalive ! interface ATM3/0.1 mpls ip unnumbered Loopback0 no snmp trap link-status mpls ip mpls atm control-vc 10 1</pre>	<pre>! interface FastEthernet4/0 no ip address shutdown duplex half ! router ospf 1 log-adjacency-changes network 10.0.0.2 0.0.0.0 area 0 network 10.1.9.1 0.0.0.0 area 0 ! no ip http server no ip http secure-server ! logging alarm informational no cdp log mismatch duplex ! control-plane ! gatekeeper shutdown ! line con 0 exec-timeout 0 0 privilege level 15 logging synchronous stopbits 1 line aux 0 exec-timeout 0 0 privilege level 15 logging synchronous stopbits 1 line vty 0 4 login ! ! end</pre>
---	--

Start UP Configuration ROUTER R3

<pre>version 12.4 service timestamps debug datetime msec service timestamps log datetime msec no service password-encryption ! hostname Medan boot-start-marker boot-end-marker no aaa new-model no ip icmp rate-limit unreachable ip cef ip tcp synwait-time 5 ! no ip domain lookup ! multilink bundle-name authenticated mpls ldp neighbor 10.0.0.7 password cisco mpls ldp loop-detection mpls ldp session protection ! interface Loopback0 ip address 10.0.0.3 255.255.255.255 ! interface FastEthernet0/0 ip address 10.1.10.1 255.255.255.0 duplex half ! interface ATM1/0 no ip address shutdown no atm ilmi-keepalive ! interface ATM2/0 no ip address shutdown no atm ilmi-keepalive ! interface ATM3/0 no ip address no atm ilmi-keepalive ! interface ATM3/0.1 mpls ip unnumbered Loopback0 no snmp trap link-status mpls ip mpls atm control-vc 10 1</pre>	<pre>! interface FastEthernet4/0 ip address 10.1.13.1 255.255.255.0 duplex half ! router ospf 1 log-adjacency-changes network 10.0.0.3 0.0.0.0 area 0 network 10.1.10.0 0.0.0.255 area 0 network 10.1.13.0 0.0.0.255 area 0 ! no ip http server no ip http secure-server ! logging alarm informational no cdp log mismatch duplex ! control-plane ! gatekeeper shutdown ! line con 0 exec-timeout 0 0 privilege level 15 logging synchronous stopbits 1 line aux 0 exec-timeout 0 0 privilege level 15 logging synchronous stopbits 1 line vty 0 4 login ! ! end</pre>
---	--

Start UP Configuration ROUTER R4

<pre>version 12.4 service timestamps debug datetime msec service timestamps log datetime msec no service password-encryption ! hostname Surabaya ! boot-start-marker boot-end-marker ! no aaa new-model no ip icmp rate-limit unreachable ip cef ip tcp synwait-time 5 ! no ip domain lookup ! multilink bundle-name authenticated mpls ldp neighbor 10.0.0.8 password cisco mpls ldp loop-detection mpls ldp session protection ! interface Loopback0 ip address 10.0.0.4 255.255.255.255 ! interface FastEthernet0/0 ip address 10.1.11.1 255.255.255.0 duplex half ! interface ATM1/0 no ip address shutdown no atm ilmi-keepalive ! interface ATM2/0 no ip address shutdown no atm ilmi-keepalive ! interface ATM3/0 no ip address no atm ilmi-keepalive ! interface ATM3/0.1 mpls ip unnumbered Loopback0 no snmp trap link-status mpls ip mpls atm control-vc 10 1</pre>	<pre>! interface FastEthernet4/0 no ip address shutdown duplex half ! router ospf 1 log-adjacency-changes network 10.0.0.4 0.0.0.0 area 0 network 10.1.11.0 0.0.0.255 area 0 ! no ip http server no ip http secure-server ! logging alarm informational no cdp log mismatch duplex ! control-plane ! gatekeeper shutdown ! line con 0 exec-timeout 0 0 privilege level 15 logging synchronous stopbits 1 line aux 0 exec-timeout 0 0 privilege level 15 logging synchronous stopbits 1 line vty 0 4 login ! end</pre>
--	---

Start UP Configuration ROUTER R5

<pre>version 12.4 service timestamps debug datetime msec service timestamps log datetime msec no service password-encryption ! hostname AJakarta ! boot-start-marker boot-end-marker ! no aaa new-model no ip icmp rate-limit unreachable ip cef ip tcp synwait-time 5 ! no ip domain lookup ! multilink bundle-name authenticated mpls ldp neighbor 10.0.0.1 password cisco mpls ldp neighbor 10.0.0.6 password cisco mpls ldp neighbor 10.0.0.8 password cisco mpls ldp loop-detection mpls ldp session protection ! interface Loopback0 ip address 10.0.0.5 255.255.255.255 interface FastEthernet0/0 no ip address duplex half interface ATM1/0 no ip address no atm ilmi-keepalive interface ATM1/0.1 mpls ip unnumbered Loopback0 no snmp trap link-status mpls label protocol ldp mpls ip mpls atm control-vc 10 1 ! interface ATM2/0 no ip address no atm ilmi-keepalive ! stopbits 1 line vty 0 4 login ! end</pre>	<pre>interface ATM2/0.1 mpls ip unnumbered Loopback0 no snmp trap link-status mpls label protocol ldp mpls ip mpls atm control-vc 10 1 ! interface ATM3/0 no ip address no atm ilmi-keepalive ! interface ATM3/0.1 mpls ip unnumbered Loopback0 no snmp trap link-status mpls label protocol ldp mpls ip mpls atm control-vc 10 1 ! interface FastEthernet4/0 no ip address duplex half ! router ospf 1 log-adjacency-changes network 10.0.0.5 0.0.0.0 area 0 ! no ip http server no ip http secure-server ! logging alarm informational no cdp log mismatch duplex ! mpls ldp router-id Loopback0 force ! control-plane ! gatekeeper shutdown ! line con 0 exec-timeout 0 0 privilege level 15 logging synchronous stopbits 1 line aux 0 exec-timeout 0 0 privilege level 15 logging synchronous</pre>
--	---

Start UP Configuration ROUTER R6

<pre>version 12.4 service timestamps debug datetime msec service timestamps log datetime msec no service password-encryption ! hostname APalembang ! boot-start-marker boot-end-marker ! no aaa new-model no ip icmp rate-limit unreachable ip cef ip tcp synwait-time 5 ! no ip domain lookup ! multilink bundle-name authenticated mpls ldp neighbor 10.0.0.2 password cisco mpls ldp neighbor 10.0.0.5 password cisco mpls ldp neighbor 10.0.0.7 password cisco mpls ldp loop-detection mpls ldp session protection ! interface Loopback0 ip address 10.0.0.6 255.255.255.255 ! interface FastEthernet0/0 no ip address shutdown duplex half ! interface ATM1/0 no ip address no atm ilmi-keepalive ! interface ATM1/0.1 mpls ip unnumbered Loopback0 no snmp trap link-status mpls ip mpls atm control-vc 10 1 gatekeeper shutdown line con 0 exec-timeout 0 0 privilege level 15 logging synchronous stopbits 1</pre>	<pre>! interface ATM2/0 no ip address no atm ilmi-keepalive ! interface ATM2/0.1 mpls ip unnumbered Loopback0 no snmp trap link-status mpls ip mpls atm control-vc 10 1 ! interface ATM3/0 no ip address no atm ilmi-keepalive ! interface ATM3/0.1 mpls ip unnumbered Loopback0 no snmp trap link-status mpls ip mpls atm control-vc 10 1 ! interface FastEthernet4/0 no ip address shutdown duplex half ! router ospf 1 log-adjacency-changes network 10.0.0.6 0.0.0.0 area 0 ! no ip http server no ip http secure-server ! logging alarm informational no cdp log mismatch duplex ! control-plane ! line aux 0 exec-timeout 0 0 privilege level 15 logging synchronous stopbits 1 line vty 0 4 login ! ! end</pre>
--	--

Start UP Configuration ROUTER R7

<pre>version 12.4 service timestamps debug datetime msec service timestamps log datetime msec no service password-encryption hostname Medan boot-start-marker boot-end-marker ! no aaa new-model no ip icmp rate-limit unreachable ip cef ip tcp synwait-time 5 ! no ip domain lookup ! multilink bundle-name authenticated mpls ldp neighbor 10.0.0.6 password cisco mpls ldp neighbor 10.0.0.3 password cisco mpls ldp neighbor 10.0.0.8 password cisco mpls ldp loop-detection mpls ldp session protection ! interface Loopback0 ip address 10.0.0.7 255.255.255.255 ! interface FastEthernet0/0 no ip address shutdown duplex half ! interface ATM1/0 no ip address no atm ilmi-keepalive ! router ospf 1 log-adjacency-changes network 10.0.0.7 0.0.0.0 area 0 ! no ip http server no ip http secure-server logging alarm informational no cdp log mismatch duplex mpls ldp router-id Loopback0 force control-plane gatekeeper shutdown</pre>	<pre>interface ATM1/0.1 mpls ip unnumbered Loopback0 no snmp trap link-status mpls label protocol ldp mpls ip mpls atm control-vc 10 1 ! interface ATM2/0 no ip address no atm ilmi-keepalive ! interface ATM2/0.1 mpls ip unnumbered Loopback0 no snmp trap link-status mpls label protocol ldp mpls ip mpls atm control-vc 10 1 ! interface ATM3/0 no ip address no atm ilmi-keepalive ! interface ATM3/0.1 mpls ip unnumbered Loopback0 no snmp trap link-status mpls label protocol ldp mpls ip mpls atm control-vc 10 1 ! interface FastEthernet4/0 no ip address shutdown duplex half line con 0 exec-timeout 0 0 privilege level 15 logging synchronous stopbits 1 line aux 0 exec-timeout 0 0 privilege level 15 logging synchronous stopbits 1 line vty 0 4 login ! ! end</pre>
--	--

Start UP Configuration ROUTER R8

<pre>version 12.4 service timestamps debug datetime msec service timestamps log datetime msec no service password-encryption ! hostname Surabaya ! boot-start-marker boot-end-marker no aaa new-model no ip icmp rate-limit unreachable ip cef ip tcp synwait-time 5 ! no ip domain lookup ! multilink bundle-name authenticated mpls ldp neighbor 10.0.0.5 password cisco mpls ldp neighbor 10.0.0.4 password cisco mpls ldp neighbor 10.0.0.7 password cisco mpls ldp loop-detection mpls ldp session protection ! interface Loopback0 ip address 10.0.0.8 255.255.255.255 ! interface ATM3/0 no ip address no atm ilmi-keepalive ! interface ATM3/0.1 mpls ip unnumbered Loopback0 no snmp trap link-status mpls label protocol ldp mpls ip mpls atm control-vc 10 1 ! interface FastEthernet4/0 no ip address shutdown duplex half ! router ospf 1 log-adjacency-changes network 10.0.0.8 0.0.0.0 area 0 no ip http server no ip http secure-server !</pre>	<pre>interface FastEthernet0/0 no ip address shutdown duplex half interface ATM1/0 no ip address no atm ilmi-keepalive ! interface ATM1/0.1 mpls ip unnumbered Loopback0 no snmp trap link-status mpls label protocol ldp mpls ip mpls atm control-vc 10 1 ! interface ATM2/0 no ip address no atm ilmi-keepalive ! interface ATM2/0.1 mpls ip unnumbered Loopback0 no snmp trap link-status mpls label protocol ldp mpls ip mpls atm control-vc 10 1 ! logging alarm informational no cdp log mismatch duplex ! mpls ldp router-id Loopback0 force control-plane gatekeeper shutdown ! line con 0 exec-timeout 0 0 privilege level 15 logging synchronous stopbits 1 line aux 0 exec-timeout 0 0 privilege level 15 logging synchronous stopbits 1 line vty 0 4 login ! end</pre>
---	--

Lampiran C

Configuration Trafik IP LSA

Trafik Rendah

<pre>! ICMP Echo ip sla monitor 1 type echo protocol iplcmpEcho <ip tujuan> timeout 0 frequency 6 ip sla monitor schedule 1 start-time now life forever ! DNS Request ip sla monitor 2 type dns target-addr www.gns3vault.com name-server <ip tujuan> timeout 0 frequency 5 ip sla monitor schedule 2 start-time now life forever ! G711 conversation ip sla monitor 3 type jitter dest-ipaddr <ip tujuan> dest- port 16384 codec g711ulaw codec- numpackets 50 codec-size 160 codec- interval 20 timeout 0 frequency 1 ip sla monitor schedule 3 start-time now life forever ! G729 conversation ip sla monitor 4 type jitter dest-ipaddr <ip tujuan> dest- port 16385 codec g729a codec- numpackets 50 codec-size 20 codec- interval 20 timeout 0 frequency 1 ip sla monitor schedule 4 start-time now life forever ! HTTP GET Traffic ip sla monitor 5 type http operation get url http://<ip tujuan> frequency 7 ip sla monitor schedule 5 start-time now life forever</pre>	<pre>! TCPConnect to Telnet ip sla monitor 6 type tcpConnect dest-ipaddr <ip tujuan> dest-port 23 control disable timeout 1000 frequency 4 ip sla monitor schedule 6 life forever start- time now ! TCPConnect to HTTPS ip sla monitor 7 type tcpConnect dest-ipaddr 10.1.4.2 dest- port 443 control disable timeout 1000 frequency 9 ip sla monitor schedule 7 life forever start- time now ! TCPConnect to FTP ip sla monitor 8 type tcpConnect dest-ipaddr <ip tujuan> dest-port 21 control disable timeout 1000 frequency 3 ip sla monitor schedule 8 life forever start- time now ! TCPConnect to SSH ip sla monitor 9 type tcpConnect dest-ipaddr <ip tujuan> dest-port 22 control disable timeout 1000 frequency 3 ip sla monitor schedule 9 life forever start- time now ! !</pre>
---	---

Trafik Sedang

<pre> ! ICMP Echo ip sla monitor 1 type echo protocol iplcmpEcho <ip tujuan> timeout 0 frequency 5 ip sla monitor schedule 1 start-time now life forever ! DNS Request ip sla monitor 2 type dns target-addr www.gns3vault.com name-server <ip tujuan> timeout 0 frequency 2 ip sla monitor schedule 2 start-time now life forever ! G711 conversation ip sla monitor 3 type jitter dest-ipaddr <ip tujuan> dest- port 16384 codec g711ulaw codec- numpackets 50 codec-size 160 codec- interval 20 timeout 0 frequency 1 ip sla monitor schedule 3 start-time now life forever ! G729 conversation ip sla monitor 4 type jitter dest-ipaddr <ip tujuan> dest- port 16385 codec g729a codec- numpackets 50 codec-size 20 codec- interval 20 timeout 0 frequency 1 ip sla monitor schedule 4 start-time now life forever </pre>	<pre> ! HTTP GET Traffic ip sla monitor 5 type http operation get url http://<ip tujuan> frequency 2 ip sla monitor schedule 5 start-time now life forever ! TCPConnect to Telnet ip sla monitor 6 type tcpConnect dest-ipaddr <ip tujuan> dest-port 23 control disable timeout 1000 frequency 3 ip sla monitor schedule 6 life forever start- time now ! TCPConnect to HTTPS ip sla monitor 7 type tcpConnect dest-ipaddr <ip tujuan> dest-port 443 control disable timeout 1000 frequency 5 ip sla monitor schedule 7 life forever start- time now ! TCPConnect to FTP ip sla monitor 8 type tcpConnect dest-ipaddr <ip tujuan> dest-port 21 control disable timeout 1000 frequency 2 ip sla monitor schedule 8 life forever start- time now ! TCPConnect to SSH ip sla monitor 9 type tcpConnect dest-ipaddr <ip tujuan> dest-port 22 control disable timeout 1000 frequency 3 ip sla monitor schedule 9 life forever start- time now ! ! </pre>
--	---

Trafik Tinggi

<pre>! ICMP Echo ip sla monitor 1 type echo protocol iplcmpEcho <ip tujuan> timeout 0 frequency 1 ip sla monitor schedule 1 start-time now life forever ! DNS Request ip sla monitor 2 type dns target-addr www.gns3vault.com name-server <ip tujuan> timeout 0 frequency 1 ip sla monitor schedule 2 start-time now life forever ! G711 conversation ip sla monitor 3 type jitter dest-ipaddr <ip tujuan> dest- port 16384 codec g711ulaw codec- numpackets 50 codec-size 160 codec- interval 20 timeout 0 frequency 1 ip sla monitor schedule 3 start-time now life forever ! G729 conversation ip sla monitor 4 type jitter dest-ipaddr <ip tujuan> dest- port 16385 codec g729a codec- numpackets 50 codec-size 20 codec- interval 20 timeout 0 frequency 1 ip sla monitor schedule 4 start-time now life forever</pre>	<pre>! HTTP GET Traffic ip sla monitor 5 type http operation get url http://<ip tujuan> frequency 1 ip sla monitor schedule 5 start-time now life forever ! TCPConnect to Telnet ip sla monitor 6 type tcpConnect dest-ipaddr <ip tujuan> dest-port 23 control disable timeout 1000 frequency 1 ip sla monitor schedule 6 life forever start- time now ! TCPConnect to HTTPS ip sla monitor 7 type tcpConnect dest-ipaddr <ip tujuan> dest-port 443 control disable timeout 1000 frequency 1 ip sla monitor schedule 7 life forever start- time now ! TCPConnect to FTP ip sla monitor 8 type tcpConnect dest-ipaddr <ip tujuan> dest-port 21 control disable timeout 1000 frequency 1 ip sla monitor schedule 8 life forever start- time now ! TCPConnect to SSH ip sla monitor 9 type tcpConnect dest-ipaddr <ip tujuan> dest-port 22 control disable timeout 1000 frequency 1 ip sla monitor schedule 9 life forever start- time now ! !</pre>
--	---