

## DAFTAR PUSTAKA

1. American Diabetes Association (ADA), Clinical Practice Recommendations 2004. Scerening For Type 2 Diabetes . *Diabetes care (suppl)*. 2004 ;27 : 511-14
2. American Diabetes Association (ADA): Clinical Practice Recommendations 2010. Scerening For Type 2 Diabetes . *Diabetes care (suppl)*. 2010
3. PERKENI, Konsensus Pengelolaan dan Pencegahan DiabetesMellitus tipe 2 di Indonesia, Jakarta 2011: 1- 56.
4. Ronald A, Sacher, Richard A. MC Pherson 2004 .Tinjauan Klinis Hasil pemeriksaan Laboratorium . Hal 12, 287-290, 293-295
5. Daniel, W. Foster. Diabetes Mellitus. Dalam : Harrison. Prinsip-prinsip Ilmu Penyakit Dalam. EGC, Yogyakarta, 1995 : 13(5); 2196-2217
6. Shankar A, Bandaru P. Association between Serum Uric Acid Levels and Diabetes Mellitus. *Journal of Endocrinology* 2011
7. Berry, CE and Here, J.M., Xenthin Oxidoreductase and Cardiovasculer Disease; Moleculer mechanism and Pathophysiological implication, *J. Physiol*. 2003: 555, (3); 589- 606
8. Dehghan A, Van Hoek M, Sijbrands EJ, Hofman A, Witteman JC. High serum uric acid as a novel risk factor for type 2 diabetes. *Diabetes Care*. 2008: 31; 361-362

9. Clausen J.O, Borch- Johnsen K, Ibsen H, Pedersen D., Analysis of the relationship between fasting serum uric acid and the insulin sensitivity index in a population based sample of 380 young healthy caucasicing. *Fur. J. Endocrinol.*1998: 138(I) ; 63-69
- 10.Khosla UM, Zharikov S, Finch JL, Nakagawa T, Roncal C, Mu W, Krotola K, Block ER, Prabhakars, Johnson RJ. Hyperuricemia induces endothelial dysfunction . *Kidney int.* 2005 ; 67 : 1739-42
- 11.Chien KL, Chen MF, Hsu HC, Chang WT, Su Tc, Lee YT, Hu FB. Plasma uric acid and the risk of type 2 diabetes in a Chinese community. *Clin Chem.*2008 ; 54 : 306-16
- 12.Wun Y.T., Chan C.S., Lui C.S. Hyperuricaemia in type 2 diabetes mellitus . *Diabetes Nutr . Metab.* 1999 ; 12(4) : 286-251
- 13.Kodama S., Saitu K.,Yachi Y., Asumi M., Sugawara A.,Totsuka K.,et al. The association between serum uric acid and development of type 2 diabetes mellitus . A meta-Analysis . *Diabetes Care.*2009 ; 32 (9) : 1737-1742
- 14.Causevic A, Semiz S, Dzankovic AM, *et al* Relevance of uric acid in progression of type 2 diabetes mellitus. *Journal of Basic Medical Sciences.* 2010;10 (1):54-59
- 15.Liong Chien K, Fong Chen M, Ching Hsu H, Tien Chang W, Teh Lee Y, Hu FB, Plasma Uric Acid and the Risk of type 2 Diabetes in a Chinese Community, *Endocrinologi and Metabolism, clinical chemistry.* 2008;54; 2, 310-316.

16. Kosasih E.N, Kosasih.A.S. Tafsiran Hasil Pemeriksaan Laboratorium Klinik. Karisma publishing Group 2008; edisi 2: 275-79
17. Abdul SJ, Rashid M, Mudassir KA, Amin H. In Association of Serum Uric Acid with type 2 Diabetes Mellitus. Departement of Biochemistry and Departement of Physiology, Khyber Medical College, Peshawar.
18. WHO. Prevention of diabetes mellitus. Technical Report Series 844. Geneva 1994
19. Halim S.L, Iskandar.Ign, Edward.Hany, Kosasih Richard, Sudiono Herawati. Pemeriksaan Laboratorium Pada Diabetes Mellitus Untuk Diagnosis, Pengelolaan dan Pengendalian Penyakit. Penerbit Bagian Patologi Klinik Fakultas Kedokteran UKRIDA 2011; edisi 1: 51-64
20. World Health Organization. Definition and Diagnosis of Diabetes Mellitus and Intermediate Hyperglycemia : Report of WHO/ IDF Consultation. World Health Organization, Geneva, Switzerland 2006 : 1-35
21. Suyono S. Kecendrungan Peningkatan Jumlah Penyandang Diabetes. Dalam : Soegondo S, Soewondo P, Subekti I. Penatalaksanaan Diabetes Melitus Terpadu. Balai Penerbitan FKUI Jakarta 2004 : 1-4.
22. Karam JH, Forsham PH, Hormon-hormon Pankreas dan Diabetes Mellitus. Dalam Endokrinologi Dasar dan Klinik . Penerbit EGC 1998; edisi 4: 742-823

23. Rachmawati AM, Uleng Bahrin, Benny Rusli, Hardjoeno. Tes Diabetes Mellitus. Dalam Interpretasi Hasil Tes Laboratorium Diagnostik. Penerbit Universitas Hasanuddin. 2006 : 167-18
24. Greenstein B, Diana W. At a Glance Sistem Endokrin. Edisi 2: 86-89
25. Waspadji S. Patogenesis disfungsi sel-beta pada diabetes mellitus tipe 2. Ed Masjhur JS dan Kariadi SHKS dalam Buku Endokrinologi Klinik IV-2002. PERKENI cabang Bandung
26. The Expert Committee on the Diagnosis and Classification of Diabetes Mellitus (ECD/CDM). Report of the Expert Committee on the Diagnosis and Classification of Diabetes Mellitus. *Diabetes Care*. 2003;26: (Suppl.1).
27. Soeharjo H, Henry S. Epidemiologi dan faktor-faktor resiko terjadinya diabetes mellitus tipe 2. Dalam: Naskah Lengkap Diabetes Mellitus Ditinjau dari Berbagai Aspek Penyakit Dalam. Balai Penerbit Universitas Diponegoro 2007: 12; 133-51
28. Silbernagl Stefan, Lang Florian. Teks dan Atlas Berwarna Patofisiologi. Penerbit EGC 2006 : 286-93
29. Henry, J.B. Clinical Diagnosis And Management by Laboratory Methods. 19<sup>th</sup> edition. W.B. Saunders Co. Philadelphia, London, Toronto, 1996: 191-96
30. PERKENI, Konsensus Pengelolaan dan Pencegahan Diabetes Mellitus tipe 2 di Indonesia, 2006.

31. Lamb E, Ph.D. Neuman DJ, Price JP. Kidney Function Tests. In Tietz Textbook of Clinical Chemistry and Molecular Diagnostics 2006 : 4(1) 797-808
32. Rodwell. Victor W. Metabolisme Nukleotida Purin dan Pirimidin. Dalam Biokimia Harper. Penerbit EGC 2006; edisi 27: 311-19
33. Perkumpulan Endokrinologi Indonesia: Petunjuk Praktis Pengelolaan Diabetes Melitus tipe 2, 2006 : 4-41
34. Lin SD, Tsai DH, Hsu SR. Association Between Serum Uric Acid Level and Components of the Metabolic Syndrom *J Chin Med Assoce.* 2006 : 69 ; ( 11); 512-516
35. Bandaru. P, Shankar. A. Association between serum uric acid levels and diabetes mellitus. *Journal of Endocrinology.* 2011;1-6
36. Maxwell SR, Thomason H, Sandler D, Leguen C, Baxter MA, Thorpe GH *et al.* Antioxidant status in patients with uncomplicated insulin-dependent and non-insulin-dependent diabetes mellitus. *Eur J Clin Invest* 1997; 27: 484–490.
37. Cook DG, Shaper AG, Thelle DS, Whitehead TP. Serum uric acid, serum glucose and diabetes: relationships in a population study. *Postgraduate Medical Journal.* 1986;62; 1001-1006.
38. J. Tuomilehto, P. Zimmet, E. Wolf, R. Taylor, P. Ram, and H. King, Plasma uric acid level and its association with diabetes mellitus and some biologic parameters in a biracial population of Fiji. *American journal of epidemiolgi.* 1988: 127; 321-336

39. J. B. Herman, J. H. Medalie, and U. Golgbourt, Diabetes, prediabetes and uricaemia. *Diabetologia*. 1976; 12:47-52
40. Hodge AM, Boyko EJ, de Courten M, et al. Leptin and other components of the Metabolic Syndrome in Mauritius—a factor analysis. *Int J Obes Relat Metab Disord*. 2001; 25: 126–131.
41. Fan HQ, Tang W, Wang ZX, et al. Association of Serum Uric Acid with 2-Hour Postload Glucose in Chinese with Impaired Fasting Plasma Glucose and/or HbA1c. *PLOS ONE*. 2013;8(7); 1-7
42. Nan H, Dong Y, Gao W, et al. Diabetes associated with a low serum uric acid level in a general Chinese population. *Diabetes Research and Clinical Practice*. 2007; 68-74.
43. Li Y, Stamler J, Xiao Z, et al. Serum uric acid and its correlates in chinese adult populations, urban and rural, of Beijing. *International Journal of Epidemiology*. 1997; 26(2); 288-296.
44. Strasak A., Ruttmann E., Brant L., et al. Serum uric acid and risk of cardiovascular mortality: a prospective long-term study of 100,000 Austrian men. *Clin. Chem*. 2008;54:273-284
45. Oda E, Kawai R, Sukumaran V, Watanabe K. Uric acid is positively associated with metabolic syndrome but negatively associated with diabetes in Japanese men. *Inter. Med*. 2009;48:1785-1791
46. Kramer C.K., von Muhlen D, Jassal S.K., Barrett-Connor E. Serum uric acid levels improve prediction of incident Type 2 diabetes in

- individuals with impaired fasting glucose: The Rancho Bernardo study. *Diabetes Care*.2009;32(10):126
47. Yoo T.W., Sung K.C., Shin H.S., Kim B.J., Kim B.S., Kang J.H., et al. Relationship between serum uric acid concentration and insulin resistance and metabolic syndrome. *Circ. J*.2005;69(8):928-933
48. Nakanishi N, Okamoto M, Yoshida H, et al. Serum uric acid and risk for development of hypertension and impaired fasting glucose or Type II diabetes in Japanese male office workers. *Eur. J. Epidemiol* 2003;18(6):523-530
49. Choi H.K, Ford E.S. Haemoglobin A1c, fasting glucose, serum C-peptide and insulin resistance in relation to serum uric acid levels – the Third national health and nutrition examination survey. *Rheumatology*.2008;47:713-717
50. Chien K.L, Chen M.F, Hsu H.C, Chang W.T. et al. Plasma uric acid and the risk of type 2 diabetes in a Chinese community. *Clin. Chem* 2008;54(2):310-316.
51. Whitfield J.B, Martin N.G. Inheritance and alcohol as factors influencing plasma uric acid levels. *Acta Genet. Med. Gemellol. (Roma)* 1983;32:117-726