

## DAFTAR PUSTAKA

1. Sakaguchi RL, Powers JM. Craig's restorative dental materials. 13<sup>th</sup> Ed. United State: Mosby, 2012:182-92.
2. Annusavice KJ, Philips' science of dental material. 11<sup>th</sup> Ed. Missouri: Saunders, 2003:77,471-84.
3. Manappallil JJ. Basic dental materials. New Delhi: Jaypee Brothers, 1998 :236-49.
4. Craig RG, Powers JM. Restorative dental materials. 11<sup>th</sup> Ed. Missouri: Mosby, 2002:212-7.
5. O'Brien WJ. Dental materials and their selection. 3<sup>rd</sup> Ed. Canada: Quintessence, 2002:121,125-6.
6. Bayindir F, Yilmaz CB. Comparison of diametral tensile, flexural, and compressive strengths of five core build-up materials. Atatürk Üniv. Di\_ Hek. Fak. Derg 2007;17(1):18-23
7. Mallmann A, Ataide JCO, Amoedo R, Rocha PV, Jacques LB. Compressive strength of glass ionomer cements using different specimens dimensions. Braz. Oral Res, 2007; 21(3): 1-9.
8. Iilie N, Hickel R. Mechanical behaviour of glass ionomer cements as a function of loading condition and mixing procedure. Dent Mater J, 2007; 26 (4): 526-33.
9. Alpoz AR, Ertugrul F, Cogulu D, Topaloglu A, Tanoglu M, Kaya E. Effects of light curing method and exposure time on mechanical properties of resin based dental materials. Eur J Dent, 2008; 2: 37-42.
10. Jadhav S, Hegde V, Aher G, Fajandar N. Influence of light curing units on failure of direct composites restorations. J Conserv Dent, 2011; 14(3): 225-7.
11. David JR, Gomes OM, Gomes JC, Loguercio AD, Reis A. Effects of exposure time on curing efficiency of polymerizing units equipped with light-emitting diodes. J of Oral Sci, 2007; 49(1): 19-24.

12. Aratani M, Pereira AC, Sobrinho LC, Sinhoreti MAC, Consani S. Compressive strength of resin-modified glass ionomer restorative material: effect of P/L ratio and storage time. *J of Oral Sci*, 2005; 13(4): 356-9.
13. Supriyadi. *Statistik Kesehatan*. Jakarta: Salemba Medika, 2014;119-23.
14. Silva CM, Dias KRHC. Compressive strength of esthetic restorative materials polymerized with quartz, tungsten, halogen light and blue LED. *Braz Dent J*, 2009; 20(1):54-7.
15. Parisay I, Bahrololomi Z, Ghafournia M, Solaimani AA, Boruziniat A. The effects of exposure times and light curing sources on surface micro-hardness of a resin modified glass ionomer. *J of Dent Mater Tech*, 2014; 3(2): 77-81.
16. Ferreira APB, Junior PCS, Souza EM, Rached RN, Pezzin SH, Viera S. Wavelength of experimental LEDs: hardness, elastic modulus, degree of conversion and temperature rise of a microhybrid composite. *Mat Res*, 2015; 18(2) : 240-4.
17. MSDS No.10-2-007-(1)-E. GC Fuji II LC Capsule-powder. <http://www.gcasia.info/ProdDoc/Doc4/MSDS%20GC%20Fuji%20II%20LC%20Capsule%20Powder%20rev.pdf> (November 9.2009).
18. MSDS No. A-0006-L (E).GC Fuji II LC liquid. [file:///C:/Users/Phoebe/Downloads/msds-gc-gold\\_label\\_2\\_lc\\_liquid.pdf](file:///C:/Users/Phoebe/Downloads/msds-gc-gold_label_2_lc_liquid.pdf)(May 31,2006).
19. Abdul-Hameed NAS. Argon-Ion Laser Vs Quartz-Tungsten-Halogen Curing of Polyacid Modified Composite Resin Restorative Materials. *J Dent Health Oral Disord Ther* 2014, 1(4) : 00025.