

## DAFTAR PUSTAKA

1. Singh G. Textbook of Orthodontics. 2nd ed. New Delhi: Jaypee, 2007: 1, 3-4, 67-8, 128-30, 159, 169.
2. Moyers RE. Handbook of Orthodontics. 4<sup>th</sup> ed. Chicago: Year Book Medical Publishers, 1988: 3-4.
3. Bhalajhi SI. orthodontics The art and Science. 3<sup>rd</sup> ed. New delhi: Arya (MEDI) Publishing House, 2003: 1-3, 81.
4. Garbin A, Perin P, Garbin C, Lolli L. Malocclusion prevalence and comparison between the angle classification and the dental aesthetic index in scholars in the interior of sao paulo state. Dent press J orthod. 2010; 15(4): 94-102.
5. Laguhi V, Anindita P, Gunawan P. Gambaran maloklusi dengan menggunakan hmar pada pasien di Rumah Sakit Gigi dan Mulut Universitas Sam Ratulangi Manado. J E-Gigi 2014; 2 (2).
6. Halicioglu K, Celikoglu M, Buyuk SK, Sekerci AE, Candirli C. Effects of early unilateral mandibular first molar extraction on condylar and ramal vertical asymmetry. Eur J Dent. 2014;8(2): 178-83.
7. Winocur E, Emodi-Perlman A. Occlusion, orthodontic treatment and temporomandibular disorder: myths and scientific evidences. 2012: 327-34
8. Basafa M, Shabee M. Prevalence of tmj disorder among students and its relation to malocclusion. The Iranian J Of Otorhinolaryngology. 2006; 18(45): 53-69
9. Kawala B, Minch L, Antoszewska J. Temporomandibular dysfunction and malocclusion in young adult males- a clinical examination in a medical experiment. Adv Clin Exp Med. 2011;20(5): 635-39
10. Perez L, Camacho M, Frechero N, Roaf P, Solis C, Gio E, Maupome G. Malocclusion and tmj disorder in teenagers from private and public schools in mexyco city. Med Oral Patol Oral Cir Bucal. 2013; 18(2):312-218.
11. Mora JB, Escalona EE, Labruzzo CA, Carrera JL, Jimenez E, Reina ES. The relationship between malocclusion, benign joint hypermobility syndrome, condylar position and tmd symptoms. Journal of Craniomandibular Practice. 2012; 30(2): 1-10.

12. Manfredini D, Perinetti G, Stellini E, Leonardo BI, Nardini LG. Prevalance of static and dynamic dental malocclusion features in subgroups of temporomandibular disorder patient: Implications for the epidemiology of the TMD-occlusion association.<http://www.ncbi.nlm.nih.gov/pubmed/25386633>
13. Sugiaman D, Himawan L, Fardaniaj S. Relationship of occlusal schemes with the occurrence of temporomandibular disorder. *J of Dentistry Indonesia*. 2011; 18(3): 63-7
14. Rakosi T, Jonas I, Graber T. *Orthodontic Diagnosis*. Jerman; Thieme.1993: 93-140.
15. Foster TD. *A Textbook Of Orthodontic*. London. Blackwell Sciebtific Publication. 24-43.
16. Scrivani SJ, Keith DA, Kaban LB. Temporomandibular disorders. *N Engl J Med*. 2008; 359(25): 2693-705.
17. Bhat Sonia. Etiology of temporomandibular disorders: the journey so far. *International Dentistry SA*. 12(4): 88-92.
18. Roda RP, Bagan JV, Fernandez JMD, Bazan SH, Soriano YJ. Review of temporomandibular joint pathology. Part I: Classification, epidemiology and risk factor. *Med Oral patol Oral Cir Bucal*. 2007; 12:E295-8.
19. Wright E. *Manual of temporomandibular disorders*. Berlin; Blackwell Munksgaards. 2005: 32-47, 303-15.
20. Buescher JJ. Temporomandibular Joint Disorders. *American Family Physician*. 2007; 76: 1477-84.
21. Manfredini D, Bucci MB, Nardini LG. The Diagnostic process for temporomandibular disorder. *Stomatologija, Baltic Dental and Maxillofacial Journal*. 2007; 9: 35-9.
22. Schiffman E et al. Diagnostic criteria for temporomandibular disorder (DC/TMD) for clinical and research application: recommendation of the interntional RDC/TMD consortium network and orofacial pain special interest group. *Journal of Oral and Facial Pain and Headache*. 2014; 28 (1): 6-27.

23. Liu F, Steinkeler A. Epidemiology, diagnosis, and treatment of temporomandibular disorders. *Dent Clin N Am.* 2013; 57: 465-79.
24. Gill DS, Naini FB, eds. *Orthodontics: principles and practice.* 1<sup>st</sup> ed., London: Wiley-Blackwell, 2011:29,99-100.
25. Shofi N, Cholil, Sukmana BI. Deskripsi kasus temporomandibular disorder pada pasien di RSUD Ulin Banjarmasin bulan Juni-Agustus 2013 tinjauan berdasarkan jenis kelamin, etiologi dan klasifikasi. *Dentino (Jur.Ked.Gigi)* 2014; 2(1): 70-73.
26. Kurt G, Uysal T, Silman Y, Ramoglu SI. Mandibular asymmetry in class II subdivision malocclusion. *Angel Orthodontist* 2008; 78(1): 32-37.)
27. Janson G, Araki J, Estelita s, Camardella LT. Stability of class II subdivision malocclusion treatment with 3 and 4 premolar extraction. *Progress in Orthodontics.* 2014:1-6.
28. Klasser GD, Greene CS. The changing field of temporomandibular disorder: what dentist to know. *JCDA* 2009; 75(1): 49-53.