

## Lampiran Program

### Index.php

```
<!DOCTYPE html>
<html lang="en">
<head>
<title>ARIS TRAVEL</title>
<meta charset="utf-8">
<link rel="stylesheet" href="css/reset.css"
type="text/css" media="all">
<link rel="stylesheet" href="css/layout.css"
type="text/css" media="all">
<link rel="stylesheet" href="css/style.css"
type="text/css" media="all">
<script type="text/javascript" src="js/jquery-1.5.2.js"
></script>
<script type="text/javascript" src="js/cufon-
yui.js"></script>
<script type="text/javascript" src="js/cufon-
replace.js"></script>
<script type="text/javascript"
src="js/Cabin_400.font.js"></script>
<script type="text/javascript"
src="js/tabs.js"></script>
<script type="text/javascript"
src="js/jquery.jqtransform.js" ></script>
<script type="text/javascript"
src="js/jquery.nivo.slider.pack.js"></script>
<script type="text/javascript"
src="js/atooltip.jquery.js"></script>
<script type="text/javascript"
src="js/script.js"></script>
<!--[if lt IE 9]>
<script type="text/javascript"
src="js/html5.js"></script>
<style type="text/css">.main, .tabs ul.nav a, .content,
.button1, .box1, .top {
behavior:url("../js/PIE.htc")}</style>
<![endif]-->
</head>
<body id="page1">
<div class="main">
  <!--header -->
  <header>
    <div class="wrapper">
      <h1><a href="index.html" id="logo">ARIS
TRAVEL</a></h1>
```

```

        <span id="slogan"><b>ARIS TRAVEL</b> <br>Booking
Pesawat dan Hotel</span>
        <nav id="top_nav">
            <ul>
                <li><a href="login/index.html">Login</a></li>
            </ul>
        </nav>
    </div>
    <nav>
        <ul id="menu">
            <li id="menu_active"><a
href="index.html"><span><span>Beranda</span></span></a>
</li>
            <li><a href="book.php"><span><span>Pesan
Tiket</span></span></a></li>
            <li><a
href="safety.php"><span><span>Laporan</span></span></a>
</li>
            <li class="end"><a
href="contacts.html"><span><span>Kontak</span></span></
a></li>
        </ul>
    </nav>
</header>
<!-- / header -->
<!--content -->
<section id="content">
    <div class="wrapper pad1">
        <article class="col2">
            <h3 class="pad_top1">Selamat datang di ARIS
TRAVEL</h3>
            <div class="wrapper pad_bot2">
                <figure class="left marg_right1">
                    <p><strong>ARIS TRAVEL</strong> adalah sebuah
perusahaan yang bergerak dibidang pemesanan tiket
pesawat dan hotel. Dengan ARIS TRAVEL liburan anda akan
menjadi mudah. Anda dapat mengisi form yang disediakan
untuk memboking tiket pesawat. Pastikan data yang anda
input benar. </p>
                </div>
                <div class="wrapper pad_bot2">
                    <figure class="left marg_right1"></figure>
                    <p><strong> Temukan tiket sesuai dengan
kepuasan anda.</strong></p>
                </div>
                <div class="wrapper"> <a href="book.php"
class="button1 right"><strong>Pesan
sekarang</strong></a> </div>

```

```

        </article>
    </div>
</section>
<!--content end-->
<!--footer -->
<!--footer end-->
</div>
<script type="text/javascript">Cufon.now();</script>
<script type="text/javascript">
$(document).ready(function () {
    tabs.init();
});
jQuery(document).ready(function ($) {
    $('#form_1, #form_2, #form_3').jqTransform({
        imagePath: 'jqtransformplugin/img/'
    });
});
$(window).load(function () {
    $('#slider').nivoSlider({
        effect: 'fade', //Specify sets like:
'fold,fade,sliceDown, sliceDownLeft, sliceUp,
sliceUpLeft, sliceUpDown, sliceUpDownLeft'
        slices: 15,
        animSpeed: 500,
        pauseTime: 6000,
        startSlide: 0, //Set starting Slide (0 index)
        directionNav: false, //Next & Prev
        directionNavHide: false, //Only show on hover
        controlNav: false, //1,2,3...
        controlNavThumbs: false, //Use thumbnails for
Control Nav
        controlNavThumbsFromRel: false, //Use image rel
for thumbs
        controlNavThumbsSearch: '.jpg', //Replace this
with...
        controlNavThumbsReplace: '_thumb.jpg',
//...this in thumb Image src
        keyboardNav: true, //Use left & right arrows
        pauseOnHover: true, //Stop animation while
hovering
        manualAdvance: false, //Force manual
transitions
        captionOpacity: 1, //Universal caption opacity
        beforeChange: function () {},
        afterChange: function () {},
        slideshowEnd: function () {} //Triggers after
all slides have been shown
    });
</script>

```

```
</body>
</html>
```

### **Style.css**

```
/* Getting the new tags to behave */
article, aside, audio, canvas, command, datalist,
details, embed, figcaption, figure, footer, header,
hgroup, keygen, meter, nav, output, progress, section,
source, video {
    display:block
}
mark, rp, rt, ruby, summary, time {
    display:inline
}
/* Left & Right alignment */
.left {
    float:left
}
.right {
    float:right
}
.wrapper {
    width:100%;
    overflow:hidden
}
.relative {
    position:relative
}
* +html .relative {
    position:static
}
/* Global properties */
body {
    background:url(../images/bg_img.jpg) top center
no-repeat #000;
    border:0;
    font:13px Arial, Helvetica, sans-serif;
    color:#3a3a3a;
    line-height:20px;
    min-width:980px;
    padding:10px 0
}
.ic, .ic a {
    border:0;
    float:right;
    background:#fff;
    color:#f00;
    width:50%;
    line-height:10px;
```

```

        font-size:10px;
        margin:-220% 0 0 0;
        overflow:hidden;
        padding:0
    }
    .css3 {
        border-radius:8px;
        -moz-border-radius:8px;
        -webkit-border-radius:8px;
        box-shadow:0 0 4px rgba(0, 0, 0, .4);
        -moz-box-shadow:0 0 4px rgba(0, 0, 0, .4);
        -webkit-box-shadow:0 0 4px rgba(0, 0, 0, .4);
        position:relative
    }
    /* Global Structure */
    .main {
        margin:0 auto;
        width:960px;
        padding:10px;
        background:#fff;
        box-shadow:0 0 7px rgba(0, 0, 0, .2);
        -moz-box-shadow:0 0 7px rgba(0, 0, 0, .2);
        -webkit-box-shadow:0 0 7px rgba(0, 0, 0, .2);
        position:relative
    }
    /* main layout */
    a {
        color:#1d77e9;
        text-decoration:underline;
        outline:none
    }
    a:hover {
        text-decoration:none
    }
    h1 {
        padding:27px 0 0 41px;
        float:left
    }
    h2 {
        font-size:20px;
        line-height:1.2em;
        padding:12px 32px 16px 32px;
        margin-bottom:14px;
        background:#f7f7f7;
        position:relative;
        letter-spacing:-1px
    }
    h2.top {
        border-radius:6px 6px 0 0;

```

```

        -moz-border-radius:6px 6px 0 0;
        -webkit-border-radius:6px 6px 0 0
    }
    h3 {
        font-size:30px;
        color:#000;
        line-height:1.2em;
        margin-top:-4px;
        letter-spacing:-1px;
        padding:0 0 21px 0
    }
    h3 span {
        font-size:20px;
        color:#767676;
        line-height:1.2em;
        display:block;
        margin-top:-5px
    }
    h4 {
        font-size:20px;
        color:#000;
        line-height:1.2em;
        padding:0 0 14px 0;
        letter-spacing:-1px
    }
    p {
        padding-bottom:18px
    }
    /* header */
    header {
        height:230px;
        width:100%;
        overflow:hidden;
        background:url(../images/bg_top.jpg) 0 0 no-repeat
    }
    #logo {
        display:block;
        background:url(../images/logo.png) 0 0 no-repeat;
        width:120px;
        height:104px;
        text-indent:-9999px
    }
    #slogan {
        font-size:20px;
        line-height:1.2em;
        color:#fff;
        float:left;
        padding:50px 0 0 18px;
        letter-spacing:-1px
    }

```

```

}
#top_nav {
    float:right;
    padding:38px 56px 0 0
}
#top_nav li {
    float:left;
    padding-left:25px;
    width:50px;
    text-align:center
}
#top_nav li a {
    display:inline-block;
    padding-top:13px;
    color:#fff
}
.nav1 {
    background:url(..images/login.png) center 0 no-
repeat
}
.nav2 {
    background:url(..images/img_top2.gif) center 0
no-repeat
}
.nav3 {
    background:url(..images/Register.png) center 0
no-repeat
}
#menu {
    padding:27px 0 0 42px
}
#menu li {
    float:left;
    margin-left:-1px;
    background:url(..images/menu_line.gif) bottom
right no-repeat
}
#menu .end {
    background:none
}
#menu li a {
    display:block;
    height:71px;
    font-size:26px;
    line-height:71px;
    color:#fff;
    text-decoration:none;
    letter-spacing:-1px
}
}

```

```

#menu li a span {
    display:block
}
#menu li a span span {
    padding:0 32px;
    margin:0 6px
}
#menu li a:hover, #menu #menu_active a {
    background:url(..../images/menu_left.png) top left
no-repeat;
    color:#000
}
#menu li a:hover span, #menu #menu_active a span {
    background:url(..../images/menu_right.png) top right
no-repeat
}
#menu li a:hover span span, #menu #menu_active a span
span {
    background:url(..../images/menu_bg.gif) top repeat-x
}
/* content */
#content {
    width:100%;
    overflow:hidden;
    padding-bottom:14px
}
.for_banners {
    background:url(..../images/bg_top_img.jpg) 0 0 no-
repeat;
    width:100%;
    height:342px;
    padding-top:30px
}
.pad1 {
    padding:30px 0;
    background:url(..../images/bg_top2.jpg) 0 0 no-
repeat
}
#page1 .pad1 {
    background:none
}
.pad {
    padding:0 27px 0 32px
}
.pad_bot1 {
    padding-bottom:10px
}
.pad_bot2 {
    padding-bottom:15px
}

```

```

}
.pad_bot3 {
    padding-bottom:32px
}
.pad_left1 {
    padding-left:31px
}
.pad_top1 {
    padding-top:11px
}
.marg_right1 {
    margin-right:31px
}
/* tabs begin */
.tabs {
    position:relative
}
.tabs ul.nav {
    position:absolute;
    top:0
}
.tabs ul.nav li {
    float:left;
    padding-right:1px;
    width:95px
}
.tabs ul.nav .end {
    padding-right:0
}
.tabs ul.nav li a {
    color:#fff;
    text-align:center;
    display:block;
    background:url(../images/tabs.gif) 0 0 repeat-x
#30c1fd;
    line-height:42px;
    text-decoration:none;
    border-radius:6px 6px 0 0;
    -moz-border-radius:6px 6px 0 0;
    -webkit-border-radius:6px 6px 0 0;
    box-shadow:0 0 3px #d0d0d0;
    -moz-box-shadow:0 0 3px #d0d0d0;
    -webkit-box-shadow:0 0 3px #d0d0d0;
    position:relative;
    overflow:hidden
}
.tabs ul.nav li a:hover, .tabs ul.nav .selected a {
    color:#000;

```

```

        background:url(../images/tabs_active.gif) top
repeat-x #e7e6e6
    }
    .tabs .content {
        background:#fff;
        border-radius:0 0 6px 6px;
        -moz-border-radius:0 0 6px 6px;
        -webkit-border-radius:0 0 6px 6px;
        box-shadow:0 0 3px #d0d0d0;
        -moz-box-shadow:0 0 3px #d0d0d0;
        -webkit-box-shadow:0 0 3px #d0d0d0;
        position:relative;
        padding:1px;
        top:40px;
        padding-bottom:20px
    }
    .tabs .tab-content {
    }
    /* tabs end */
    /* tabs begin */
    .tabs2 {
        position:relative
    }
    .tabs2 ul.nav {
        position:absolute;
        top:0
    }
    .tabs2 ul.nav li {
        float:left;
        padding-right:1px;
        width:185px
    }
    .tabs2 ul.nav .end {
        padding-right:0
    }
    .tabs2 ul.nav li a {
        color:#fff;
        text-align:center;
        display:block;
        background:url(../images/tabs.gif) 0 0 repeat-x
#30c1fd;
        line-height:42px;
        text-decoration:none;
        border-radius:6px 6px 0 0;
        -moz-border-radius:6px 6px 0 0;
        -webkit-border-radius:6px 6px 0 0;
        box-shadow:0 0 3px #d0d0d0;
        -moz-box-shadow:0 0 3px #d0d0d0;
        -webkit-box-shadow:0 0 3px #d0d0d0;

```

```

        position:relative;
        overflow:hidden
    }
    .tabs2 ul.nav li a:hover, .tabs2 ul.nav .selected a {
        color:#000;
        background:url(../images/tabs_active.gif) top
        repeat-x #e7e6e6
    }
    .tabs2 .content {
        background:#fff;
        border-radius:0 0 6px 6px;
        -moz-border-radius:0 0 6px 6px;
        -webkit-border-radius:0 0 6px 6px;
        box-shadow:0 0 3px #d0d0d0;
        -moz-box-shadow:0 0 3px #d0d0d0;
        -webkit-box-shadow:0 0 3px #d0d0d0;
        position:relative;
        padding:1px;
        top:40px;
        padding-bottom:20px
    }
    .tabs2 .tab-content {
    }
    /* tabs end */
    /* The Nivo Slider styles */
    #slider {
        height:114px;
        overflow:hidden;
        width:561px !important;
        margin-top:200px;
        margin-left:40px;
        float:left
    }
    .nivoSlider {
        position:relative
    }
    .nivoSlider img {
        position:absolute;
        top:0px;
        left:0px
    }
    /* If an image is wrapped in a link */
    .nivoSlider a.nivo-imageLink {
        position:absolute;
        top:0px;
        left:0px;
        width:100%;
        height:100%;
        border:0;

```

```

padding:0;
margin:0;
z-index:60;
display:none
}
/* The slices in the Slider */
.nivo-slice {
display:block;
position:absolute;
z-index:50;
height:100%
}
/* Tooltips */
.aToolTip {
border:1px solid #000;
background:url(..../images/opacity_50_black.png)
repeat;
color:#fff;
margin:0;
padding:2px 10px;
font-size:11px
}
.aToolTip .aToolTipContent {
position:relative;
margin:0;
padding:0
}
.button1 {
display:inline-block;
font-size:13px;
color:#fff;
text-decoration:none;
line-height:28px;
height:30px;
padding:0 19px;
background:url(..../images/button_1.gif) 0 0px
repeat-x #1d77e9;
border-radius:5px;
-moz-border-radius:5px;
-webkit-border-radius:5px;
position:relative;
cursor:pointer
}
.button1 strong {
display:block;
padding-right:16px;
background:url(..../images/marker_2.gif) right 10px
no-repeat
}

```

```

.button1:hover {
    background:url(..images/button_active.gif) 0 0
repeat-x #e7e6e6
}
.button1:hover strong {
    background:url(..images/marker_1.gif) right 10px
no-repeat;
    color:#1d77e9
}
.link1 {
    padding-left:13px;
    background:url(..images/marker_1.gif) 0 6px no-
repeat;
    display:inline-block
}
.box1 {
    background:#fff;
    border-radius:6px;
    -moz-border-radius:6px;
    -webkit-border-radius:6px;
    box-shadow:0 0 3px #d0d0d0;
    -moz-box-shadow:0 0 3px #d0d0d0;
    -webkit-box-shadow:0 0 3px #d0d0d0;
    position:relative;
    padding:1px
}
.color1 {
    color:#7f7f7f
}
.list1 li {
    width:100%;
    overflow:hidden
}
.list1 li a {
    padding-left:11px;
    background:url(..images/marker_1.gif) 0 4px no-
repeat
}
.calendar {
    width:100%;
    overflow:hidden;
    font-size:12px;
    color:#000;
    line-height:18px;
    text-align:center;
    padding-bottom:4px
}
.calendar .thead li {
    float:left;

```

```

        width:27px;
        padding-right:1px;
        padding-bottom:2px
    }
    .calendar .tbody li {
        float:left;
        padding-right:1px;
        width:27px;
        padding-bottom:1px
    }
    .calendar .tbody li a {
        display:block;
        border:1px solid #e5e5e5;
        height:18px;
        color:#000;
        text-decoration:none
    }
    .calendar .tbody li a.active {
        border:1px solid #1d77e9;
        background:#1d77e9;
        color:#fff
    }
    .calendar .tbody li a.selected {
        background:#cccccc;
        border:1px solid #b7b7b7
    }
    .box2 {
        background:#f7f7f7;
        padding:14px 32px;
        color:#000;
        margin-bottom:14px;
        font-size:12px
    }
    .box2.top {
        border-radius:6px 6px 0 0;
        -moz-border-radius:6px 6px 0 0;
        -webkit-border-radius:6px 6px 0 0
    }
    .box2 strong {
        font-size:13px
    }
    /* footer */
    footer {
        padding:33px 0 37px 70px;
        background:url(../images/bg_footer.gif) top
        repeat-x #d7dce6;
        font-size:12px;
        color:#3a3a3a
    }

```

```

footer a {
    color:#1d77e9
}
footer a:hover {
}
#icons {
    float:left;
    padding-top:7px
}
#icons li {
    float:left;
    padding-right:9px
}
.links {
    padding-left:186px;
    width:310px;
    text-align:center;
    float:left
}
/* forms */
.jqTransformInputWrapper {
    float:left;
    width:auto !important
}
.jqTransformInputWrapper div {
    float:left
}
/* Radios */
.jqTransformRadioWrapper {
    float:left;
    display:block;
    margin-right:7px;
    margin-top:4px
}
.jqTransformRadio {
    height:12px;
    width:12px;
    display:block;
    background:url(../images/radio.png);
    background-position:bottom/*display:-moz-inline-
block;*/
}
.jqTransformRadio.jqTransformChecked {
    background-position:top
}
/* Checkbox */
.jqTransformCheckboxWrapper {
    float:left;
    display:block;

```

```

        margin-right:7px;
        margin-top:4px
    }
    .jqTransformCheckbox {
        height:12px;
        width:12px;
        display:block;
        background:url(../images/check.gif);
        background-position:bottom/*display:-moz-inline-
block;*/
    }
    .jqTransformCheckbox.jqTransformChecked {
        background-position:top
    }
    /* Selects */
    .jqTransformSelectWrapper {
        position:relative
    }
    .jqTransformSelectWrapper div {
        float:left;
        font:12px Arial, Helvetica, sans-serif;
        color:#7f7f7f;
        width:100px;
        display:block;
        position:relative;
        white-space:nowrap;
        height:19px;
        line-height:19px;
        overflow:hidden;
        cursor:pointer;
        border:1px solid #e5e5e5;
        background:#fff
    }
    .jqTransformSelectWrapper div span {
        padding:0 0 0 7px;
        display:block
    }
    a.jqTransformSelectOpen {
        display:block;
        position:absolute;
        top:0px;
        right:0px;
        width:17px;
        height:18px;
        background:url(../images/select.gif) 4px 6px no-
repeat
    }
    .jqTransformSelectWrapper ul {
        position:absolute;

```

```

        top:20px;
        left:0px;
        background:#fff;
        border:1px solid #e5e5e5;
        font:12px Arial, Helvetica, sans-serif;
        display:none;
        z-index:10;
        padding:5px 0 2px 0;
        height:50px;
        overflow:auto;
        min-height:20px
    }
    .jqTransformSelectWrapper ul a {
        display:block;
        padding:0 7px;
        text-decoration:none;
        color:#7f7f7f
    }
    .jqTransformSelectWrapper ul a.selected {
        color:#7f7f7f
    }
    .jqTransformSelectWrapper ul a:hover,
    .jqTransformSelectWrapper ul a.selected:hover {
        color:#fff;
        background:#1d77e9;
    }
    /* Hidden - used to hide the original form elements */
    .jqTransformHidden {
        display:none
    }
    }
    #form_1 .right.relative {
        margin-top:9px;
        margin-right:32px
    }
    }
    #form_1 .link1 {
        margin-left:32px;
        margin-top:13px
    }
    }
    #form_1 .radio {
        background:#f7f7f7;
        padding:14px 32px;
        margin-bottom:14px
    }
    }
    #form_1 .radio .left {
        width:88px;
        padding-left:0
    }
    }
    #form_1 .row {
        min-height:25px;

```

```

        width:100%;
        overflow:hidden
    }
    #form_1 .left {
        width:64px;
        padding-left:31px
    }
    #form_1 .input, #form_1 .input1, #form_1 .input2 {
        background:#fff;
        border:1px solid #e5e5e5;
        font:12px Arial, Helvetica, sans-serif;
        color:#7f7f7f;
        float:left;
        padding:2px 7px;
        height:14px;
        width:142px !important
    }
    #form_1 .input1 {
        width:60px !important
    }
    #form_1 .input2 {
        width:11px !important
    }
    #form_1 .col1 {
        width:100%;
        padding-left:0
    }
    #form_1 .marg_top1 {
        margin-top:12px
    }
    #form_1 .pad_left1 {
        padding-left:9px
    }
    #form_2 .radio {
        background:#f7f7f7;
        padding:14px 32px;
        margin-bottom:14px
    }
    #form_2 .left {
        width:64px;
        padding-left:31px
    }
    #form_2 .row {
        min-height:25px;
        width:100%;
        overflow:hidden
    }
    #form_2 .input, #form_2 .input1, #form_2 .input2 {
        background:#fff;

```

```

border:1px solid #e5e5e5;
font:12px Arial, Helvetica, sans-serif;
color:#7f7f7f;
float:left;
padding:2px 7px;
height:14px;
width:142px !important
}
#form_2 .input1 {
width:60px !important
}
#form_2 .input2 {
width:11px !important
}
#form_2 .right.relative {
margin-top:9px;
margin-right:32px
}
#form_2 .link1 {
margin-left:32px;
margin-top:13px
}
#form_2 .pad_left1 {
padding-left:9px
}
#form_2 .help {
float:left;
margin-left:5px;
width:20px;
height:20px;
background:url(../images/help.gif) 0 0 no-repeat
}
#form_3 .radio {
background:#f7f7f7;
padding:14px 32px;
margin-bottom:14px
}
#form_3 .radio .left {
width:88px;
padding-left:0
}
#form_3 .row {
min-height:25px;
width:100%;
overflow:hidden
}
#form_3 .row_select {
min-height:25px;
width:100%
}

```

```

}
#form_3 .left {
    width:94px;
    padding-left:31px
}
#form_3 .input, #form_3 .input1, #form_3 .input2 {
    background:#fff;
    border:1px solid #e5e5e5;
    font:12px Arial, Helvetica, sans-serif;
    color:#7f7f7f;
    float:left;
    padding:2px 7px;
    height:14px;
    width:112px !important
}
#form_3 .input1 {
    width:60px !important
}
#form_3 .input2 {
    width:31px !important;
    margin-left:5px
}
#form_3 .jqTransformSelectWrapper {
    float:left;
    width:128px !important
}
#form_3 .jqTransformSelectWrapper span {
    float:left;
    width:119px !important
}
#form_3 .pad_left1 {
    padding-left:32px
}
#form_3 .select1 {
    height:30px
}
#form_3 .select1 .jqTransformSelectWrapper {
    float:left;
    width:221px !important
}
#form_3 .select1 .jqTransformSelectWrapper span {
    float:left;
    width:212px !important
}
#form_3 .right.relative {
    margin-top:9px;
    margin-right:32px
}
#form_4 {

```

```

        padding-top:1px;
        padding-bottom:19px
    }
    #form_4 .right.relative {
        margin-top:9px;
        margin-right:32px
    }
    #form_4 .link1 {
        margin-left:32px;
        margin-top:13px
    }
    #form_4 .row {
        min-height:25px;
        width:100%;
        overflow:hidden
    }
    #form_4 .left {
        width:95px;
        padding-left:31px
    }
    #form_4 .input, #form_4 .input1, #form_4 .input2 {
        background:#fff;
        border:1px solid #e5e5e5;
        font:12px Arial, Helvetica, sans-serif;
        color:#7f7f7f;
        float:left;
        padding:2px 7px;
        height:14px;
        width:111px !important
    }
    #form_4 .input1 {
        width:60px !important
    }
    #form_4 .input2 {
        width:11px !important
    }
    #form_4 .col1 {
        width:177px;
        padding-left:0
    }
    #form_4 .marg_top1 {
        margin-top:12px
    }
    #form_4 .pad_left1 {
        padding-left:9px
    }
    .form_5 .right.relative {
        margin-top:16px;
        margin-right:4px
    }

```

```

}
.form_5 .link1 {
    margin-left:32px;
    margin-top:13px
}
.form_5 .radio {
    background:#f7f7f7;
    padding:14px 32px;
    margin-bottom:14px
}
.form_5 .radio .left {
    width:108px;
    padding-left:0
}
}
.form_5 .row {
    min-height:25px;
    width:100%;
    overflow:hidden
}
}
.form_5 .left {
    width:74px
}
}
.form_5 .input, .form_5 .input1, .form_5 .input2 {
    background:#fff;
    border:1px solid #e5e5e5;
    font:12px Arial, Helvetica, sans-serif;
    color:#7f7f7f;
    float:left;
    padding:2px 7px;
    height:14px;
    width:112px !important
}
}
.form_5 .input1 {
    width:60px !important;
    margin-right:6px
}
}
.form_5 .input2 {
    width:11px !important
}
}
.form_5 .col1 {
    width:247px;
    padding-left:0
}
}
.form_5 .check_box {
    padding-left:20px;
    float:left;
    padding-top:25px
}
}
.form_5 .check_box span {

```

```

        float:left
    }
    .form_5 .marg_top1 {
        margin-top:5px
    }
    .form_5 .pad_left1 {
        padding-left:9px
    }
    .form_5 .help {
        float:left;
        margin-left:5px;
        width:20px;
        height:20px;
        background:url(..../images/help.gif) 0 0 no-repeat
    }
    .form_5 .under {
        border-bottom:1px solid #f2f2f2;
        padding-bottom:14px;
        margin-bottom:13px
    }
    .form_5 .cols {
        width:196px
    }
    .form_5 .marg_right1 {
        margin-right:27px
    }
    .form_5 h6 {
        line-height:23px;
        padding-left:32px;
        background:url(..../images/marker_3.gif) 0 0 no-
repeat;
        font-weight:normal;
        padding-bottom:18px
    }
    .form_5 h5 {
        line-height:23px;
        padding-left:32px;
        background:url(..../images/marker_4.gif) 0 0 no-
repeat;
        font-weight:normal;
        padding-bottom:18px
    }
    .form_5 .marker_left {
        float:left;
        background:url(..../images/marker_left.gif) 0 0 no-
repeat;
        width:20px;
        height:20px;
        margin-right:17px
    }

```

```

}
.form_5 .marker_right {
    float:left;
    background:url(../images/marker_right.gif) 0 0 no-
repeat;
    width:20px;
    height:20px;
    margin-left:17px
}
.form_5 .select1 {
    height:25px
}
.form_5 .select1 .jqTransformSelectWrapper {
    float:left;
    width:121px !important
}
.form_5 .select1 .jqTransformSelectWrapper span {
    float:left;
    width:112px !important
}
.form_5 .cols .left {
    width:49px;
    padding-left:9px
}
.form_5 .cols .select1 {
    height:25px
}
.form_5 .cols .select1 .left {
    width:45px;
    padding-left:0px
}
}
#form_8 .col2 {
    width:100%;
    padding-left:0
}
#form_8 .col2 .left {
    width:55px;
    padding-left:9px
}
}
#form_8 .pad_bot2 {
    padding-bottom:20px
}
}
#form_8 .markers {
    padding:14px 0 5px 0;
    width:100%;
    overflow:hidden
}
}
#form_8 .markers span {
    float:left;

```

```

        padding:0 13px 0 9px;
        font-size:12px
    }
    #form_8 .markers span.end {
        padding-right:0
    }
    #form_8 .markers strong {
        float:left;
        width:18px;
        height:18px;
        border:1px solid #e5e5e5
    }
    #form_8 .markers strong.active {
        background:#1d77e9;
        border:1px solid #1d77e9
    }
    #form_8 .markers strong.selected {
        background:#ccc;
        border:1px solid #b7b7b7
    }
    #form_8 {
        padding-bottom:23px
    }
    #ContactForm {
        padding-top:3px
    }
    #ContactForm span {
        width:65px;
        float:left
    }
    #ContactForm .wrapper {
        min-height:25px
    }
    #ContactForm .textarea_box {
        min-height:470px;
        padding-bottom:6px;
        width:100%;
        overflow:hidden
    }
    #ContactForm {
    }
    #ContactForm a {
        margin-left:10px;
        float:right
    }
    #ContactForm .input {
        float:left;
        width:219px;
        background:#fff;

```

```

        border:1px solid #e5e5e5;
        font:12px Arial, Helvetica, sans-serif;
        color:#7f7f7f;
        float:left;
        padding:2px 7px;
        height:14px
    }
    #ContactForm textarea {
        overflow:auto;
        width:479px;
        background:#fff;
        border:1px solid #e5e5e5;
        font:12px Arial, Helvetica, sans-serif;
        color:#7f7f7f;
        float:left;
        padding:2px 7px;
        height:457px;
        margin:0;
        float:left
    }
}

```

### **Index.js**

```

// Toggle Function
$('.toggle').click(function(){
    // Switches the Icon
    $(this).children('i').toggleClass('fa-pencil');
    // Switches the forms
    $('.form').animate({
        height: "toggle",
        'padding-top': 'toggle',
        'padding-bottom': 'toggle',
        opacity: "toggle"
    }, "slow");
});

```

### **Login/index.html**

```

<!DOCTYPE html>
<html >
    <head>
        <meta charset="UTF-8">
        <title>ARIS TRAVEL</title>
        <link rel="stylesheet" href="css/reset.css">
        <link rel='stylesheet prefetch'
href='http://fonts.googleapis.com/css?family=Roboto:400
,100,300,500,700,900|RobotoDraft:400,100,300,500,700,90
0'>

```

```

<link rel='stylesheet prefetch'
href='http://maxcdn.bootstrapcdn.com/font-
awesome/4.3.0/css/font-awesome.min.css'>
    <link rel="stylesheet" href="css/style.css">
</head>
<body>
<!-- Form Mixin-->
<!-- Input Mixin-->
<!-- Button Mixin-->
<!-- Pen Title-->
<div class="pen-title">
    <h1>ARIS TRAVEL</h1>
</div>
<!-- Form Module-->
<div class="module form-module">
    <div class="toggle"><i class="fa fa-times fa-
pencil"></i>
</div>
<div class="form">
    <h2>Login to your account</h2>
<form>
    <input type="text" placeholder="Username"/>
    <input type="password" placeholder="Password"/>
    <button>Login</button>
</form>
</div>
<div class="form">
    <h2>Create an account</h2>
<form>
    <input type="text" placeholder="Username"/>
    <input type="password" placeholder="Password"/>
    <input type="email" placeholder="Email Address"/>
    <input type="tel" placeholder="Phone Number"/>
    <button>Register</button>
</form>
</div>
<div class="cta"><a>Forgot your password?</a></div>
</div>
<script
src='http://cdnjs.cloudflare.com/ajax/libs/jquery/2.1.3
/jquery.min.js'></script>
    <script src="js/index.js"></script>
</body>
</html>

```

### **Login-user/index.html**

```

<!DOCTYPE html>
<html >
<head>

```

```

    <meta charset="UTF-8">
    <title>ARIS TRAVEL</title>
    <link rel="stylesheet" href="css/reset.css">
    <link rel='stylesheet prefetch'
href='http://fonts.googleapis.com/css?family=Roboto:400
,100,300,500,700,900|RobotoDraft:400,100,300,500,700,90
0'>
<link rel='stylesheet prefetch'
href='http://maxcdn.bootstrapcdn.com/font-
awesome/4.3.0/css/font-awesome.min.css'>
    <link rel="stylesheet" href="css/style.css">
</head>
<body>
<!-- Form Mixin-->
<!-- Input Mixin-->
<!-- Button Mixin-->
<!-- Pen Title-->
<div class="pen-title">
    <h1>ARIS TRAVEL</h1>
</div>
<!-- Form Module-->
<div class="module form-module">
    <div class="toggle"><i class="fa fa-times fa-
pencil"></i>
    </div>
    <div class="form">
        <h2>Login to your account</h2>
        <form method="POST" action=" ../proses/login.php">
            <input type="text" placeholder="Username"
name="username"/>
            <input type="password" placeholder="Password"
name="password"/>
            <button>Login</button>
        </form>
    </div>
    <div class="form">
        <h2>Create an account</h2>
        <form method="POST" action=" ../proses/reg.php">
            <input type="text" placeholder="Username"/>
            <input type="password" placeholder="Password"/>
            <input type="email" placeholder="Email Address"/>
            <input type="tel" placeholder="Phone Number"/>
            <button>Register</button>
        </form>
    </div>
    <div class="cta"><a>Forgot your password?</a></div>
</div>

```

```

    <script
src='http://cdnjs.cloudflare.com/ajax/libs/jquery/2.1.3
/jquery.min.js'></script>
    <script src="js/index.js"></script>
    </body>
</html>

```

### **Config.php**

```

<?php
$con = mysqli_connect("localhost", "root", "",
"pakpaulus");
?>

```

### **Proses/login.php**

```

<?php
include "config.php";
function anti_injection($anti){$filter =
stripslashes(strip_tags(htmlspecialchars($anti,ENT_QUOTES
ES))); return $filter;}
if(!empty($_POST['username']) AND
!empty($_POST['password'] )){
    $username = anti_injection($_POST['username']);
    $password =
anti_injection(md5($_POST['password']));
    $login = mysqli_query($con, "SELECT * FROM user
WHERE namauser='$username' AND password='$password'");
    $found = mysqli_num_rows($login);
    $r = mysqli_fetch_array($login);
    if ($found > 0){
        session_start();
        $_SESSION['aris'] = $r['iduser'];
        header("location:../book.php");
    }
    else{
        echo "<script>alert('Maaf, sepertinya anda
salah memasukkan username atau password anda');
history.go(-1);</script>";
        /* window.location = '../admin-login.php' */
    }
}
else{
    echo "<script>alert('Maaf, sepertinya anda salah
memasukkan username atau password anda'); history.go(-
1);</script>";
}
?>

```

### **Proses/pesan-hotel.php**

```

<?php
    include "config.php";
    if(!empty($_POST['nama']) AND !empty($_POST['ci']))
AND !empty($_POST['co']) AND !empty($_POST['hotel'])) ){
    $nama = $_POST['nama'];
    $ci = $_POST['ci'];
    $co = $_POST['co'];
    $hotel = $_POST['hotel'];
    $add=mysqli_query($con, "insert into orderhotel
values('', '$nama', '$hotel', '$ci', '$co' )");
    if($add){
        echo"<script>alert('Order Hotel Anda Berhasil
!');window.location.href = '../safety.php';</script>";
    }
    else{
        echo"<script>alert('Maaf, Gagal Melakukan
Pemesanan Hotel !');history.go(-1);</script>";
    }
}
else{
    echo"<script>alert('Kosong! Gagal Melakukan
Pemesanan Hotel !');history.go(-1);</script>";
}
?>

```

### **Proses/pesan-pesawat .php**

```

<?php
    include "config.php";
    if(!empty($_POST['nama']) AND
!empty($_POST['pesawat']) AND !empty($_POST['jumlah'])
AND !empty($_POST['kelamin']) AND
!empty($_POST['nohp'])) ){

        $nama = $_POST['nama'];
        $pesawat = $_POST['pesawat'];
        $jumlah = $_POST['jumlah'];
        $kelamin = $_POST['kelamin'];
        $nohp = $_POST['nohp'];
        $add=mysqli_query($con, "insert into orderpesawat
values('', '$pesawat', '$jumlah', '$nama', '$kelamin',
'$nohp' )");
        if($add){
            echo"<script>alert('Order Anda Berhasil
!');window.location.href = '../safety.php';</script>";
        }
        else{
            echo"<script>alert('Maaf, Gagal Melakukan
Pemesanan Tiket Pesawat !');history.go(-1);</script>";
        }
}

```

```

}
    else{
        echo"<script>alert('Kosong! Gagal Melakukan
Pemesanan Tiket Pesawat !');history.go(-1);</script>";
    }
?>

```

### Contak.html

```

<!DOCTYPE html>
<html lang="en">
<head>
<title>ARIS TRAVEL | Kontak</title>
<meta charset="utf-8">
<link rel="stylesheet" href="css/reset.css"
type="text/css" media="all">
<link rel="stylesheet" href="css/layout.css"
type="text/css" media="all">
<link rel="stylesheet" href="css/style.css"
type="text/css" media="all">
<script type="text/javascript" src="js/jquery-1.5.2.js"
></script>
<script type="text/javascript" src="js/cufon-
yui.js"></script>
<script type="text/javascript" src="js/cufon-
replace.js"></script>
<script type="text/javascript"
src="js/Cabin_400.font.js"></script>
<script type="text/javascript"
src="js/tabs.js"></script>
<script type="text/javascript"
src="js/jquery.jqtransform.js" ></script>
<script type="text/javascript"
src="js/jquery.nivo.slider.pack.js"></script>
<script type="text/javascript"
src="js/atooltip.jquery.js"></script>
<script type="text/javascript"
src="js/script.js"></script>
</head>
<body id="page6">
<div class="main">
    <!--header -->
    <header>
        <div class="wrapper">
            <h1><a href="index.html" id="logo">ARIS
TRAVEL</a></h1>
            <span id="slogan"><b>ARIS TRAVEL</b> <br>Booking
Pesawat dan Hotel</span>
            <nav id="top_nav">
                <ul>

```

```

        <li><a href="login/index.html">Login</a></li>
    </ul>
</nav>
</div>
<nav>
    <ul id="menu">
        <li ><a
href="index.html"><span><span>Beranda</span></span></a>
</li>
        <li><a href="book.php"><span><span>Pesan
Tiket</span></span></a></li>
        <li><a
href="safety.php"><span><span>Laporan</span></span></a>
</li>
        <li id="menu_active"><a
href="contacts.html"><span><span>Kontak</span></span></a>
</li>
    </ul>
</nav>
</header>
<!-- / header -->
<!--content -->
<section id="content">
    <div class="wrapper pad1">
        <article class="col1">
            <div class="box1">
                <h2 class="top">Kontak Kami</h2>
                <div class="pad">
                    <div class="wrapper pad_bot1">
                        <p class="cols
pad_bot2"><strong>Negara:<br>
                            Kota:<br>
                            Alamat:<br>
                            Email:</strong></p>
                        <p class="color1 pad_bot2">Indonesia<br>
                            Medan<br>
                            Jalan Pasar III Pancing<br>
                            <a
href="#">aristravel@gmail.com</a></p>
                    </div>
                </div>
            </div>
        </article>
        <article class="col2">
            <h3 class="pad_top1">Kritik dan Saran</h3>
            <form id="ContactForm" action="#">
                <div>
                    <div class="wrapper"> <span>Nama:</span>
                        <input type="text" class="input" >
                    </div>
                </div>
            </form>
        </article>
    </div>
</section>

```